

IZVAJALEC

Naziv: S&T Slovenija d.d.
Naslov: Leskovaška cesta 6
E-Pošta: info@snt.si
Telefon: (+386)1/58 55 200
Oseba: ROBNIK Peter

DELOVNI NALOG 273296

Pogodba: n/a
ID Dokumenta:
Vrsta obračuna: Garancija
Datum prijave dogodka: 23.09.2008 09:30
Št. dogodka: 273295

NAROČNIK 0

Podjetje: II GIMNAZIJA MARIBOR
Oseba: PRIJAVA OKVARE,
Naslov: TRG MILOŠA ZIDANŠKA 1, 2000 Maribor
Telefon:
Končni uporabnik:

PRODUKT

Produkt: LEXMARK
Serijska št 1.:
Lokacija: MARIBOR

Kratek opis: Ne tiska

Nova oprema

Št sistema/produkta	Serijska št.	Količina EM	Opis	Proizvajalec

Porabljene material

Št sistema/produkta	Serijska št.	Količina EM	Opis	Proizvajalec

Izvedene aktivnosti

Skupaj 0:30 ur

Opis	Izvajalec	Datum	Začetek	Konec	Vrsta ure	Tip ure	
Zamenjava z novim, ker starega ni bilo mogoče popraviti v garancijskem roku. Nova SN 9426050, Ta DN je osnova za urejevanje garancije. DN Alternativa SN-06-05744	ROBNIK Peter	23.09.2008	14.30	14.30	Servisni storitev II	Travel Standard Km	0ur 30min 0ur 0min 12.00
<i>Priloga je testni list</i>						Standard OverTime Travel Km	
<i>garancija prave teči 9. 10. 2008</i>						Standard OverTime Travel Km	
<i>ok instalacija</i>						Standard OverTime Travel Km	
						Standard OverTime Travel Km	

Izvajalec:

Odgovorna oseba:

Opombe

Storitev opravljena

A Odlično

B Dobro

C Zadovoljivo

D Nezadovoljivo

Za morebitno izgubo podatkov na trdih diskih v času servisiranja ne odgovarjamo. Garancija na vgrajene rezervne dele je 3 mesece od zaključka del.

Supplies Menu

Replace Supply

Cyan PC Unit	
Magenta PC Unit	
Yellow PC Unit	
Black PC Unit	
Cyan Cartridge	= OK
Magenta Cartridge	= OK
Yellow Cartridge	= OK
Black Cartridge	= OK
Cyan PC Unit	= OK
Magenta PC Unit	= OK
Yellow PC Unit	= OK
Black PC Unit	= OK
Waste Toner Box	= OK
Fuser	= OK
Transfer Belt	= OK

Paper Menu

Default Source = Tray 1

Paper Size/Type

Tray 1 Size/Type	= A4
	= Plain Paper
MP Feeder Size/Type	= A4
	= Custom Type 6
Manual Paper Size/Type	= A4
	= Plain Paper
Manual Env Size/Type	= DL Envelope
	= Envelope
Substitute Size	= All Listed

Paper Texture

Plain Texture	= Normal
Card Stock Texture	= Normal
Transparency Texture	= Normal
Recycled Texture	= Normal
Glossy Texture	= Normal
Labels Texture	= Normal
Bond Texture	= Rough
Envelope Texture	= Normal
Letterhead Texture	= Normal
Preprinted Texture	= Normal
Colored Texture	= Normal
Custom 1 Texture	= Normal
Custom 2 Texture	= Normal
Custom 3 Texture	= Normal
Custom 4 Texture	= Normal
Custom 5 Texture	= Normal
Custom 6 Texture	= Normal

Paper Weight

Plain Weight	= Normal
Card Stock Weight	= Normal
Transparency Weight	= Normal
Recycled Weight	= Normal
Glossy Weight	= Normal
Labels Weight	= Normal
Bond Weight	= Normal
Envelope Weight	= Light
Letterhead Weight	= Normal
Preprinted Weight	= Normal
Colored Weight	= Normal
Custom 1 Weight	= Normal
Custom 2 Weight	= Normal
Custom 3 Weight	= Normal
Custom 4 Weight	= Normal
Custom 5 Weight	= Normal
Custom 6 Weight	= Normal

Paper Menu(Cont.)

Paper Loading

Recycled Loading	= Off
Glossy Loading	= Off
Bond Loading	= Off
Letterhead Loading	= Off
Preprinted Loading	= Off
Colored Loading	= Off
Custom 1 Loading	= Off
Custom 2 Loading	= Off
Custom 3 Loading	= Off
Custom 4 Loading	= Off
Custom 5 Loading	= Off
Custom 6 Loading	= Off

Custom Types

Custom Type 1	= Paper
Custom Type 2	= Paper
Custom Type 3	= Paper
Custom Type 4	= Paper
Custom Type 5	= Paper
Custom Type 6	= Paper
Recycled	= Paper

Universal Setup

Units of Measure	= Millimeters
Portrait Width	= 216 mm
Portrait Height	= 356 mm

Reports

Menu Settings Page
Device Statistics
Network Setup Page

Print Fonts

PCL Fonts
PostScript Fonts
Print Demo

Settings

Setup Menu

Display Language	= English
Eco-Mode	= Off
Power Saver	= 30 min

Alarms

Alarm Control	= Single
Cartridge Alarm	= Single

Timeouts

Screen Timeout	= 30 sec
Print Timeout	= 90 sec
Wait Timeout	= 40 sec
Network Job Timeout	= 90 sec

Print Recovery

Auto Continue	= Disabled
Jam Recovery	= Auto
Page Protect	= Off
Printer Language	= PS Emulation
Print Area	= Normal
Black Only Mode	= Off
Resource Save	= Off
Factory Defaults	= Do Not Restore

Finishing Menu

Duplex	= Off
Duplex Bind	= Long Edge
Copies	= 1
Blank Pages	= Do Not Print
Collation	= Off
Separator Sheets	= None
Separator Source	= Tray 1
Multipage Print	= Off
Multipage Order	= Horizontal
Multipage View	= Auto
Multipage Border	= None

Settings(Cont.)

Quality Menu

Print Mode = Color
 Color Correction = Auto
 Print Resolution = 4800 CQ
 Toner Darkness = 4
 Enhance Fine Lines = Off
 Color Saver = Off
 RGB Brightness = 0
 RGB Contrast = 0
 RGB Saturation = 0

Color Balance

Cyan = 0
 Magenta = 0
 Yellow = 0
 Black = 0

Reset Defaults

Color Samples

sRGB Display
 sRGB Vivid
 Display - True Black
 Vivid
 Off - RGB
 US CMYK
 Euro CMYK
 Vivid CMYK
 Off - CMYK

Manual Color

RGB Image = sRGB Display
 RGB Text = sRGB Vivid
 RGB Graphics = sRGB Vivid
 CMYK Image = Euro CMYK
 CMYK Text = Euro CMYK
 CMYK Graphics = Euro CMYK

Color Adjust

Utilities Menu

Factory Defaults = Do Not Restore

Hex Trace

Activate
 Coverage Estimator = Off
 LCD Contrast = 5
 LCD Brightness = 5

PDF Menu

Scale to Fit = No
 Annotations = Do Not Print

PostScript Menu

Print PS Error = Off
 Image Smoothing = Off

PCL Emul Menu

Font Source = Resident
 Font Name = R0 Courier
 Symbol Set = 12U PC-850

PCL Emulation Settings

Pitch = 10.00
 Orientation = Portrait
 Lines per Page = 64
 A4 Width = 198 mm
 Auto CR after LF = Off
 Auto LF after CR = Off

Tray Renumber

Assign MP Feeder = Off
 Assign Tray 1 = Off
 Assign Manual Paper = Off
 Assign Man Env = Off

View Factory Def

MPF Default = 8
 T1 Default = 1
 T2 Default = 4
 T3 Default = 5
 T4 Default = 20
 T5 Default = 21
 Env Default = 6
 MPaper Default = 2
 MEnv Default = 3

Settings(Cont.)

Restore Defaults

Yes
 No

HTML Menu

Font Name = Times
 Font Size = 12 pt
 Scale = 100%
 Orientation = Portrait
 Margin Size = 19 mm
 Backgrounds = Print

Image Menu

Auto Fit = On
 Invert = Off
 Scaling = Best Fit
 Orientation = Portrait

Security

Job Expiration = Off

Network/Ports

TCP/IP

Activate = On
 View Hostname = ET000400FE9DE5
 Address = 193.2.157.115
 Netmask = 255.255.255.128
 Gateway = 193.2.157.1
 Enable DHCP = Off
 Enable FTP/TFTP = On
 HTTP Server Enabled = On
 WINS Server Address = 0.0.0.0
 DNS Server Address = 193.2.157.125

IPv6

Enable IPv6 = On
 Auto Configuration = On
 View Hostname = ET000400FE9DE5
 View Address = fe80::204:ff:fefe:9de5
 View Router Address = ::
 Enable DHCPv6 = On

Standard Network

PCL SmartSwitch = On
 PS SmartSwitch = On
 NPA Mode = Auto
 Network Buffer = Auto
 Mac Binary PS = Auto

Standard USB

PCL SmartSwitch = On
 PS SmartSwitch = On
 NPA Mode = Auto
 USB Buffer = Auto
 Mac Binary PS = Auto

AppleTalk

View Name = ET000400FE9DE5 Lexma...
 View Address = 65437.229
 Activate = On
 Set Zone = *
 USB Direct = Enable

Help

Color Quality
 Print Quality
 Printing Guide
 Supplies Guide
 Media Guide
 Print Defects
 Menu Map
 Information Guide
 Connection Guide
 Moving Guide













Other Settings

PCL Type 1 Fonts = On
Job Timeout = Disabled
Feed Timeout = 60
Stored Job Limit = 5

Device Information

Page Count = 52
Installed Memory = 128 MB
Processor Speed = 375MHz
Serial Number = 941CDW5
Engine ID = 24
CalStat = 1f41f
CalSet
C = 5.3565 4.0000
0.0000 999996.9900
M = 5.7703 7006.0000
0.0000 0.0000
Y = 5.8054 7.1100
0.0000 25.4334
K = 5.1666 0.0000
0.0000 6.1666
Engine = LS.SW.E045-0
Loader = LS.SW.P026avc-0
Kernel = ES.KP.K204-0
Base = LS.SW.P026avc-0
Network = NSF.NP.N026-0
Network Drvr = LS.SW.P026avc-0
Panel = 9.9
Font = 8.11M02-U4.4

Cartridge Information

Cyan Cartridge = OK
Serial Number = 0823507082
Capacity = 3.0K
Return
Type = Normal
Magenta Cartridge = OK
Serial Number = 0822401F76
Capacity = 3.0K
Return
Type = Normal
Yellow Cartridge = OK
Serial Number = 0817119031
Capacity = 3.0K
Return
Type = Normal
Black Cartridge = OK
Serial Number = 082391F662
Capacity = 4.0K
Type = Normal
0%  100%
Cyan PC Unit = 
0%  100%
Magenta PC Unit = 
0%  100%
Yellow PC Unit = 
0%  100%
Black PC Unit = 
0%  100%
Fuser = 
0%  100%
Transfer Belt = 
Waste Toner Box = OK

Installed Features

Duplex